Author Index of Volume 465

Abrahams, I., 73
Alberts, E., 241
Amaudrut, J., 187

Baker, P.K., 221
Bencze, L., 211
Birk, U., 167
Bissinger, P., 65
Blum, A., 167
Bonati, F., 267
Boncella, J.M., 297
Bovio, B., 267
Brisdon, B.J., 145

Cameron, M., 161
Champness, N.R., 275
Cho, C.S., 85
Crestoni, M.E., 109

De Lange, P.P.M., 241
Dong, T.-Y., 199

Epstein, L.M., 259
Eujen, R., 153

Flower, K.R., 221
Fornarini, S., 109
Forward, J.M., 251
Fredericks, E.J., 289
Frühauf, H.-W., 241

Gailus, H., 181
Gindling, M.J., 289
Goda, K., 97
Gowenlock, B.G., 161
Grauvogl, G., 65
Guennec, N., 233
Gulliver, D.J., 275
Guyon, F., 187

Halterman, R.L., 175
Hassler, K., 127, 137
Hatanaka, Y., 97
Hayashi, H., 101
Herres, M., 283
Hiyama, T., 97
Holloway, C.E., 1

Imhof, W., 283

Jahn, N., 153

Kalbarczyk, E., 93
Kao, H.M., 199
Karsch, H.H., 65
Kempinger, W., 167
Ketkov, S.Yu., 225
Kimijima, K., 101
Klein, B., 119
Kooijman, H., 241
Kreindlin, A.Z., 259
Kroll, L.C., 289
Krylov, A.N., 259

Lang, H., 283
Lee, Y.C., 199
Levason, W., 275
Lin, J.T., 199
Linti, G., 79

Maelger, H., 181
Mahon, M.F., 145
Malik, A., 73
Melnik, M., 1
Mercier, M.-F., 187
Mikulcik, P., 65
Mingos, D.M.P., 251
Miyoshi, K., 193
Mochida, K., 101
Moinet, C., 233
Molloy, K.C., 145
Motevalli, M., 73
Müller, G., 65

Nakazawa, H., 193
Neumann, W.P., 119

O'Brien, P., 73
Occhiucci, G., 109
Oldroyd, R.D., 275
Oro, L.A., 267

Parish, R.V., 161
Pasynkiewicz, S., 93
Pinillos, M.T., 267
Powell, A.V., 251

Ramsey, T.M., 175
Rehder, D., 181
Rybinskaya, M.I., 259

Schofield, P.J., 145
Shimizu, K., 187
Shubina, E.S., 259
Spek, A.L., 241
Storhoff, B.N., 289
Sun, W.-H., 263
Sünkel, K., 167
Szilagyi, R., 211

Tejel, C., 267
Thurmann, U., 153

Uemura, S., 85

Van Wijnkoop, M., 241
Vasapollo, G., 161
Villanueva, L.A., 297
Vrieze, K., 241

Wakasa, M., 101
Wang, H.-Q., 263
Weidenbruch, M., 127, 137
Wen, Y.S., 199

Yamaguchi, Y., 193
Yang, S.-Y., 263
Yu, K.-B., 263

Zhou, Q.-F., 263
Ziemkowska, W., 93

Subject Index of Volume 465

Ab initio
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211
Alkene
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85
Alkenyl
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85
Alkyne
A route to η^2-alkyne complexes of vanadium(I): crystal structure of *trans*-[IV(CO)$_2$(PMe$_2$Ph)$_2$(2-butyne)] (H. Gailus, H. Maelger and D. Rehder), 181
Aluminium
Reactions of trimethylaluminium with *cis*-2-buten-1,4-diol (W. Ziemkowska, S. Pasynkiewicz and E. Kalbarczyk), 93
Amide
Darstellung und Struktur monomerer N-borylierter Galliumamide (G. Linti), 79
Arene
Photoabsorption study of electronic excited states of (η^5-cyclopentadienyl)(η^6-arene)manganese (S.Yu. Ketkov), 225
Aryl
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85
Azides
Chemie der schweren Carben-Analogen R$_2$M (M = Si, Ge, Sn). XIX. Reaktionen von stabilem Diaminogermylen und -stannylen Me$_2$Si(^{t}BuN)$_2$M (M = Ge, Sn) mit organischen Aziden (B. Klein and W.P. Neumann), 119

Boron
Darstellung und Struktur monomerer N-borylierter Galliumamide (G. Linti), 79
Boronic acid
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85
But-2-yne
Reactions of the cationic but-2-yne complex [WI(CO)(NCMe)-{Ph$_2$P(CH$_2$)PPh$_2$}(η^2-MeC$_2$Me)][BF$_4$] with bidentate nitrogen donor ligands (P.K. Baker and K.R. Flower), 221

Cadmium
Some complexes of neopentylcadmium species with dithio- and di-selenocarbamates: the synthesis, characterization and single crystal X-ray structure of a mixed neopentyl/diethyldiselenocarbamate of cadmium: [(CH$_3$)$_3$CCH$_2$Cd-Se$_2$CNEt$_2$]$_2$ (I. Abrahams, A. Malik, M. Motevalli and P. O'Brien), 73

Carbene
Chemie der schweren Carben-Analogen R$_2$M (M = Si, Ge, Sn). XIX. Reaktionen von stabilem Diaminogermylen und -stannylen Me$_2$Si(^{t}BuN)$_2$M (M = Ge, Sn) mit organischen Aziden (B. Klein and W.P. Neumann), 119
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211
Carbonyl
Dinuclear molybdenum carbonyls bridged by hydride ligands (J.T. Lin, Y.C. Lee, H.M. Kao, T.-Y. Dong and Y.S. Wen), 199
Catalysis
Electronic effects of bis(2-aryl-4,5,6,7-tetrahydroindenyl)titanocene dichlorides on the catalytic epoxidation of *trans*-3-hexene (R.L. Halterman and T.M. Ramsey), 175
Charge transfer
Synthesis and magnetic studies of the metallocarborane sandwich salts [Fe(C$_5$Me$_5$)$_2$][M(C$_2$B$_9$H$_{12}$)$_2$)] (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251
Cobalt
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of (η^5-C$_5$H$_4$CH$_3$)MoFeCo(CO)$_8$(μ_3-S) and (η^5-C$_5$H$_4$CH$_3$)$_2$Mo$_2$Fe(CO)$_7$(μ_3-S) (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von {(η^5-C$_5$H$_4$SiMe$_3$)$_2$Hf(C≡CPh)$_2$}M(CO) (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Crystal structure
A route to η^2-alkyne complexes of vanadium(I): crystal structure of *trans*-[IV(CO)$_2$(PMe$_2$Ph)$_2$(2-butyne)] (H. Gailus, H. Maelger and D. Rehder), 181
Darstellung und Struktur monomerer N-borylierter Galliumamide (G. Linti), 79
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of (η^5-C$_5$H$_4$CH$_3$)MoFeCo(CO)$_8$(μ_3-S) and (η^5-C$_5$H$_4$CH$_3$)$_2$Mo$_2$Fe(CO)$_7$(μ_3-S) (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Magnesium compounds: classification and analysis of crystallographic and structural data (C.E. Holloway and M. Melnik), 1
Organotin-substituted organosiloxanes: synthesis and characterisation, including the crystal structure of 1,3-bis(triphenylstannoxy)-1,1,3,3-tetraphenyl-1,3-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), 145
Some complexes of neopentylcadmium species with dithio- and di-selenocarbamates: the synthesis, characterization and single crystal X-ray structure of a mixed neopentyl/diethyldiselenocarbamate of cadmium: [(CH$_3$)$_3$CCH$_2$Cd-Se$_2$CNEt$_2$]$_2$ (I. Abrahams, A. Malik, M. Motevalli and P. O'Brien), 73
Synthesis and magnetic studies of the metallocarborane sandwich salts [Fe(C$_5$Me$_5$)$_2$][M(C$_2$B$_9$H$_{12}$)$_2$)] (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251
Cycloaddition
1,3-Dipolar cycloaddition to a Fe–N=C fragment. XII. Reactivity of Fe(2,6-xylyl-isocyanide)$_3$(^{i}Pr-α-diimine) towards heteroal-

lenic C=S bonds (P.P.M. De Lange, E. Alberts, M. Van Wijnkoop, H.-W. Frühauf, K. Vrieze, H. Kooijman and A.L. Spek), 241

Cyclopentadienyl

Etude électrochimique des cations (η^5-cyclopentadiényl fer η^6-nitrobenzène ou η^6-nitrotoluènes)$^+$. Electrosynthèse des dérivés nitrosés correspondants (N. Guennec and C. Moinet), 233

Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ ($ML_n = Mn(CO)_3$, $Fe(C_5H_5)$; $m = 1$ oder 2; E = S, Se; R, R' = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167

Photoabsorption study of electronic excited states of (η^5-cyclopentadienyl)(η^6-arene)manganese (S.Yu. Ketkov), 225

Syntheses and electrochemical behaviour of novel dithiolatoniobium-(IV) and -(V) complexes with two η^5-cyclopentadienyl rings (F. Guyon, J. Amaudrut, M.-F. Mercier and K. Shimizu), 187

Difluoromethyl

Synthesis and properties of trifluoromethylated stannanes. The formation and NMR spectra of the difluoromethylstannanes $(CF_3)_n(CF_2H)_mSn(CH_3)_{4-n-m}$ (R. Eujen, N. Jahn and U. Thurmann), 153

Diimine

1,3-Dipolar cycloaddition to a Fe–N=C fragment. XII. Reactivity of Fe(2,6-xylyl-isocyanide)$_3$(^{i}Pr-α-diimine) towards heteroallenic C=S bonds (P.P.M. De Lange, E. Alberts, M. Van Wijnkoop, H.-W. Frühauf, K. Vrieze, H. Kooijman and A.L. Spek), 241

Dimethyltin

Coordination complexes of dimethyltin dichloride with C-nitroso compounds (M. Cameron, B.G. Gowenlock, R.V. Parish and G. Vasapollo), 161

Diphosphine

Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275

Diphosphinomethanide

Substituentenabhängigkeit der Lithiumkoordination von Phosphinomethaniden und Molekülstrukturen von (TMEDA)Li[C(PPh$_2$)$_2$(SiMe$_3$)] und {(THF)Li[CH(PMe$_2$)$_2$]}$_2$ (H.H. Karsch, G. Grauvogl, P. Mikulcik, P. Bissinger and G. Müller), 65

Diselenocarbamate

Some complexes of neopentylcadmium species with dithio- and di-selenocarbamates: the synthesis, characterization and single crystal X-ray structure of a mixed neopentyl/diethyldiselenocarbamate of cadmium: $[(CH_3)_3CCH_2CdSe_2CNEt_2]_2$ (I. Abrahams, A. Malik, M. Motevalli and P. O'Brien), 73

Dithiocarbamate

Some complexes of neopentylcadmium species with dithio- and di-selenocarbamates: the synthesis, characterization and single crystal X-ray structure of a mixed neopentyl/diethyldiselenocarbamate of cadmium: $[(CH_3)_3CCH_2CdSe_2CNEt_2]_2$ (I. Abrahams, A. Malik, M. Motevalli and P. O'Brien), 73

Electrochemistry

Etude électrochimique des cations (η^5-cyclopentadiényl fer η^6-nitrobenzène ou η^6-nitrotoluènes)$^+$. Electrosynthèse des dérivés nitrosés correspondants (N. Guennec and C. Moinet), 233

Syntheses and electrochemical behaviour of novel dithiolatoniobium-(IV) and -(V) complexes with two η^5-cyclopentadienyl rings (F. Guyon, J. Amaudrut, M.-F. Mercier and K. Shimizu), 187

Electronic

Photoabsorption study of electronic excited states of (η^5-cyclopentadienyl)(η^6-arene)manganese (S.Yu. Ketkov), 225

Epoxidation

Electronic effects of bis(2-aryl-4,5,6,7-tetrahydroindenyl)titanocene dichlorides on the catalytic epoxidation of *trans*-3-hexene (R.L. Halterman and T.M. Ramsey), 175

Ferrocene

Synthesis and magnetic studies of the metallocarborane sandwich salts $[Fe(C_5Me_5)_2][M(C_2B_9H_{12})_2]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251

Ferromagnetism

Synthesis and magnetic studies of the metallocarborane sandwich salts $[Fe(C_5Me_5)_2][M(C_2B_9H_{12})_2]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251

Fluorine

Synthesis and properties of trifluoromethylated stannanes. The formation and NMR spectra of the difluoromethylstannanes $(CF_3)_n(CF_2H)_mSn(CH_3)_{4-n-m}$ (R. Eujen, N. Jahn and U. Thurmann), 153

Gallium

Darstellung und Struktur monomerer N-borylierter Galliumamide (G. Linti), 79

Gas phase

Gas phase reactivity of aromatic silanes. The reaction of $Ph(CH_2)_xSiMe_3$ ($x = 0$ or 1) with cationic electrophiles (M.E. Crestoni, S. Fornarini and G. Occhiucci), 109

Germanium

Chemie der schweren Carben-Analogen R_2M (M = Si, Ge, Sn). XIX. Reaktionen von stabilem Diaminogermylen und -stannylen $Me_2Si(^tBuN)_2M$ (M = Ge, Sn) mit organischen Aziden (B. Klein and W.P. Neumann), 119

Germanyl

Photochemical reactions of 2-(pentamethyldisilanyl)furan and 2-(pentamethyldigermanyl)furan. Formation of a radical pair (K. Mochida, K. Kimijima, M. Wakasa and H. Hayashi), 101

Group 6

Formation and *fac-mer* isomerization of cationic phosphenium transition metal complexes formulated as $[M(bpy)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Cr, Mo, W) and $[M(dppe)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Mo, W) (H. Nakazawa, Y. Yamaguchi and K. Miyoshi), 193

Group 8

Hydrogen-bonded complexes involving the metal atom and protonation of metallocenes of the iron subgroup (E.S. Shubina, A.N. Krylov, A.Z. Kreindlin, M.I. Rybinskaya and L.M. Epstein), 259

Group 14

Chemie der schweren Carben-Analogen R_2M (M = Si, Ge, Sn). XIX. Reaktionen von stabilem Diaminogermylen und -stannylen $Me_2Si(^tBuN)_2M$ (M = Ge, Sn) mit organischen Aziden (B. Klein and W.P. Neumann), 119

Synthesis and properties of trifluoromethylated stannanes. The formation and NMR spectra of the difluoromethylstannanes $(CF_3)_n(CF_2H)_mSn(CH_3)_{4-n-m}$ (R. Eujen, N. Jahn and U. Thurmann), 153

Hafnium
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von $\{(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CPh)_2\}M(CO)$ (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Heteroallenes
1,3-Dipolar cycloaddition to a Fe–N=C fragment. XII. Reactivity of Fe(2,6-xylyl-isocyanide)$_3$(^{i}Pr-α-diimine) towards heteroallenic C=S bonds (P.P.M. De Lange, E. Alberts, M. Van Wijnkoop, H.-W. Frühauf, K. Vrieze, H. Kooijman and A.L. Spek), 241
Heterometallics
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of $(\eta^5\text{-}C_5H_4CH_3)MoFeCo(CO)_8(\mu_3\text{-}S)$ and $(\eta^5\text{-}C_5H_4CH_3)_2Mo_2Fe(CO)_7(\mu_3\text{-}S)$ (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Hindered (bulky) ligands
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Hydride
Dinuclear molybdenum carbonyls bridged by hydride ligands (J.T. Lin, Y.C. Lee, H.M. Kao, T.-Y. Dong and Y.S. Wen), 199
Hydrogen bonding
Hydrogen-bonded complexes involving the metal atom and protonation of metallocenes of the iron subgroup (E.S. Shubina, A.N. Krylov, A.Z. Kreindlin, M.I. Rybinskaya and L.M. Epstein), 259

Imidazole
N-substituted imidazole derivatives of rhodium(I) and iridium(I). Crystal structure of the head-to-head dinuclear compound $[Ir_2(\mu\text{-}N\text{-benzylimidazolato-}N^3,C^2)_2(CO)_4]$ (F. Bonati, L.A. Oro, M.T. Pinillos, C. Tejel and B. Bovio), 267
Infrared spectroscopy
Schwingungsspektren, Normalkoordinatenanalysen und Synthesen der t-Butylsilane ^{t}BuSiX$_3$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 127
Schwingungsspektren und Normalkoordinatenanalysen der Di-t-butylsilane ^{t}Bu$_2$SiX$_2$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 137
Ion cyclotron resonance
Gas phase reactivity of aromatic silanes. The reaction of $Ph(CH_2)_xSiMe_3$ (x = 0 or 1) with cationic electrophiles (M.E. Crestoni, S. Fornarini and G. Occhiucci), 109
Iridium
N-substituted imidazole derivatives of rhodium(I) and iridium(I). Crystal structure of the head-to-head dinuclear compound $[Ir_2(\mu\text{-}N\text{-benzylimidazolato-}N^3,C^2)_2(CO)_4]$ (F. Bonati, L.A. Oro, M.T. Pinillos, C. Tejel and B. Bovio), 267
Iron
1,3-Dipolar cycloaddition to a Fe–N=C fragment. XII. Reactivity of Fe(2,6-xylyl-isocyanide)$_3$(^{i}Pr-α-diimine) towards heteroallenic C=S bonds (P.P.M. De Lange, E. Alberts, M. Van Wijnkoop, H.-W. Frühauf, K. Vrieze, H. Kooijman and A.L. Spek), 241
Etude électrochimique des cations (η^5-cyclopentadiényl fer η^6-nitrobenzène ou η^6-nitrotoluènes)$^+$. Electrosynthèse des dérivés nitrosés correspondants (N. Guennec and C. Moinet), 233
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of $(\eta^5\text{-}C_5H_4CH_3)MoFeCo(CO)_8(\mu_3\text{-}S)$ and $(\eta^5\text{-}C_5H_4CH_3)_2Mo_2Fe(CO)_7(\mu_3\text{-}S)$ (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ (ML_n = $Mn(CO)_3$, $Fe(C_5H_5)$; m = 1 oder 2; E = S, Se; R, R′ = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von $\{(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CPh)_2\}M(CO)$ (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Isocyanide
1,3-Dipolar cycloaddition to a Fe–N=C fragment. XII. Reactivity of Fe(2,6-xylyl-isocyanide)$_3$(^{i}Pr-α-diimine) towards heteroallenic C=S bonds (P.P.M. De Lange, E. Alberts, M. Van Wijnkoop, H.-W. Frühauf, K. Vrieze, H. Kooijman and A.L. Spek), 241
Isomerism
Formation and *fac-mer* isomerization of cationic phosphenium transition metal complexes formulated as $[M(bpy)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Cr, Mo, W) and $[M(dppe)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Mo, W) (H. Nakazawa, Y. Yamaguchi and K. Miyoshi), 193

Lithium
Substituentenabhängigkeit der Lithiumkoordination von Phosphinomethaniden und Molekülstrukturen von (TMEDA)Li$[C(PPh_2)_2(SiMe_3)]$ und $\{(THF)Li[CH(PMe_2)_2]\}_2$ (H.H. Karsch, G. Grauvogl, P. Mikulcik, P. Bissinger and G. Müller), 65

Magnesium
Magnesium compounds: classification and analysis of crystallographic and structural data (C.E. Holloway and M. Melnik), 1
Manganese
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ (ML_n = $Mn(CO)_3$, $Fe(C_5H_5)$; m = 1 oder 2; E = S, Se; R, R′ = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167
Photoabsorption study of electronic excited states of (η^5-cyclopentadienyl)(η^6-arene)manganese (S.Yu. Ketkov), 225
Metallocarborane
Synthesis and magnetic studies of the metallocarborane sandwich salts $[Fe(C_5Me_5)_2][M(C_2B_9H_{12})_2]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251
Metallocenes
Electronic effects of bis(2-aryl-4,5,6,7-tetrahydroindenyl)titanocene dichlorides on the catalytic epoxidation of *trans*-3-hexene (R.L. Halterman and T.M. Ramsey), 175
Hydrogen-bonded complexes involving the metal atom and protonation of metallocenes of the iron subgroup (E.S. Shubina, A.N. Krylov, A.Z. Kreindlin, M.I. Rybinskaya and L.M. Epstein), 259
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ (ML_n = $Mn(CO)_3$, $Fe(C_5H_5)$; m = 1 oder 2; E = S, Se; R, R′ = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167

Molecular mechanics
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Molybdenum
Dinuclear molybdenum carbonyls bridged by hydride ligands (J.T. Lin, Y.C. Lee, H.M. Kao, T.-Y. Dong and Y.S. Wen), 199
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of $(\eta^5\text{-}C_5H_4CH_3)MoFeCo(CO)_8(\mu_3\text{-}S)$ and $(\eta^5\text{-}C_5H_4CH_3)_2Mo_2Fe(CO)_7(\mu_3\text{-}S)$ (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Mössbauer spectroscopy
Coordination complexes of dimethyltin dichloride with C-nitroso compounds (M. Cameron, B.G. Gowenlock, R.V. Parish and G. Vasapollo), 161
Organotin-substituted organosiloxanes: synthesis and characterisation, including the crystal structure of 1,3-bis(triphenylstannoxy)-1,1,3,3-tetraphenyl-1,3-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), 145
Neopentyl
Some complexes of neopentylcadmium species with dithio- and di-selenocarbamates: the synthesis, characterization and single crystal X-ray structure of a mixed neopentyl/diethyldiselenocarbamate of cadmium: $[(CH_3)_3CCH_2CdSe_2CNEt_2]_2$ (I. Abrahams, A. Malik, M. Motevalli and P. O'Brien), 73
Nickel
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von $\{(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CPh)_2\}M(CO)$ (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275
Niobium
Syntheses and electrochemical behaviour of novel dithiolatoniobium-(IV) and -(V) complexes with two η^5-cyclopentadienyl rings (F. Guyon, J. Amaudrut, M.-F. Mercier and K. Shimizu), 187
Nitrobenzene
Etude électrochimique des cations (η^5-cyclopentadiényl fer η^6-nitrobenzène ou η^6-nitrotoluènes)$^+$. Electrosynthèse des dérivés nitrosés correspondants (N. Guennec and C. Moinet), 233
Nitrosobenzene
Etude électrochimique des cations (η^5-cyclopentadiényl fer η^6-nitrobenzène ou η^6-nitrotoluènes)$^+$. Electrosynthèse des dérivés nitrosés correspondants (N. Guennec and C. Moinet), 233
Nuclear magnetic resonance
Coordination complexes of dimethyltin dichloride with C-nitroso compounds (M. Cameron, B.G. Gowenlock, R.V. Parish and G. Vasapollo), 161

Olefin metathesis
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211
Oxidative addition
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85

Palladium
On the regioselectivity of palladium catalyzed cross-coupling reactions of alkenylsilanes: participation of β-cationic organosilicate-palladium species during the transmetallation (Y. Hatanaka, K. Goda and T. Hiyama), 97
Palladium-catalyzed cross-coupling of aryl and alkenyl boronic acids with alkenes via oxidative addition of a carbon–boron bond to palladium(0) (C.S. Cho and S. Uemura), 85
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Reactions of unsaturated electrophiles with *trans*-$(PMe_3)_2$-Pd(Ph)(NHPh) (J.M. Boncella and L.A. Villanueva), 297
Phosphenium
Formation and *fac-mer* isomerization of cationic phosphenium transition metal complexes formulated as $[M(bpy)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Cr, Mo, W) and $[M(dppe)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Mo, W) (H. Nakazawa, Y. Yamaguchi and K. Miyoshi), 193
Phosphine-nitrile ligands
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Phosphite
Formation and *fac-mer* isomerization of cationic phosphenium transition metal complexes formulated as $[M(bpy)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Cr, Mo, W) and $[M(dppe)(CO)_3\{\overline{PN(Me)CH_2CH_2NMe}\}]^+$ (M = Mo, W) (H. Nakazawa, Y. Yamaguchi and K. Miyoshi), 193
Photoabsorption
Photoabsorption study of electronic excited states of (η^5-cyclopentadienyl)(η^6-arene)manganese (S.Yu. Ketkov), 225
Photochemistry
Photochemical reactions of 2-(pentamethyldisilanyl)furan and 2-(pentamethyldigermanyl)furan. Formation of a radical pair (K. Mochida, K. Kimijima, M. Wakasa and H. Hayashi), 101
Platinum
Phosphine-nitrile ligands: the molecular structure of *cis*-2-diphenylphosphino-1-cyanocyclopentane and studies of the donor/acceptor properties of this and related ligands (E.J. Fredericks, M.J. Gindling, L.C. Kroll and B.N. Storhoff), 289
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275
Polymer
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275
Polymerization
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211

Radical
Photochemical reactions of 2-(pentamethyldisilanyl)furan and 2-(pentamethyldigermanyl)furan. Formation of a radical pair (K. Mochida, K. Kimijima, M. Wakasa and H. Hayashi), 101

Radiolysis
Gas phase reactivity of aromatic silanes. The reaction of $Ph(CH_2)_xSiMe_3$ ($x = 0$ or 1) with cationic electrophiles (M.E. Crestoni, S. Fornarini and G. Occhiucci), 109
Raman spectrocopy
Schwingungsspektren, Normalkoordinatenanalysen und Synthesen der t-Butylsilane $^tBuSiX_3$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 127
Raman spectroscopy
Schwingungsspektren und Normalkoordinatenanalysen der Di-t-butylsilane $^tBu_2SiX_2$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 137
Regioselectivity
On the regioselectivity of palladium catalyzed cross-coupling reactions of alkenylsilanes: participation of β-cationic organosilicate-palladium species during the transmetallation (Y. Hatanaka, K. Goda and T. Hiyama), 97
Rhodium
N-substituted imidazole derivatives of rhodium(I) and iridium(I). Crystal structure of the head-to-head dinuclear compound $[Ir_2(\mu\text{-}N\text{-benzylimidazolato-}N^3,C^2)_2(CO)_4]$ (F. Bonati, L.A. Oro, M.T. Pinillos, C. Tejel and B. Bovio), 267
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275
Ruthenium
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275

Selenium
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ ($ML_n = Mn(CO)_3$, $Fe(C_5H_5)$; $m = 1$ oder 2; E = S, Se; R, R' = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167
Silane
Gas phase reactivity of aromatic silanes. The reaction of $Ph(CH_2)_xSiMe_3$ ($x = 0$ or 1) with cationic electrophiles (M.E. Crestoni, S. Fornarini and G. Occhiucci), 109
On the regioselectivity of palladium catalyzed cross-coupling reactions of alkenylsilanes: participation of β-cationic organosilicate-palladium species during the transmetallation (Y. Hatanaka, K. Goda and T. Hiyama), 97
Schwingungsspektren, Normalkoordinatenanalysen und Synthesen der t-Butylsilane $^tBuSiX_3$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 127
Schwingungsspektren und Normalkoordinatenanalysen der Di-t-butylsilane $^tBu_2SiX_2$, X = H, D, F, Cl, Br, I (K. Hassler and M. Weidenbruch), 137
Silanyl
Photochemical reactions of 2-(pentamethyldisilanyl)furan and 2-(pentamethyldigermanyl)furan. Formation of a radical pair (K. Mochida, K. Kimijima, M. Wakasa and H. Hayashi), 101
Silicon
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von $\{(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CPh)_2\}M(CO)$ (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Siloxanes
Organotin-substituted organosiloxanes: synthesis and characterisation, including the crystal structure of 1,3-bis(triphenylstannoxy)-1,1,3,3-tetraphenyl-1,3-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), 145
Silyl
Substituentenabhängigkeit der Lithiumkoordination von Phosphinomethaniden und Molekülstrukturen von (TMEDA)Li-$[C(PPh_2)_2(SiMe_3)]$ und $\{(THF)Li[CH(PMe_2)_2]\}_2$ (H.H. Karsch, G. Grauvogl, P. Mikulcik, P. Bissinger and G. Müller), 65
Stannoxy
Organotin-substituted organosiloxanes: synthesis and characterisation, including the crystal structure of 1,3-bis(triphenylstannoxy)-1,1,3,3-tetraphenyl-1,3-disiloxane (B.J. Brisdon, M.F. Mahon, K.C. Molloy and P.J. Schofield), 145
Sulfido
Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of $(\eta^5\text{-}C_5H_4CH_3)MoFeCo(CO)_8(\mu_3\text{-}S)$ and $(\eta^5\text{-}C_5H_4CH_3)_2Mo_2Fe(CO)_7(\mu_3\text{-}S)$ (W.-H. Sun, S.-Y. Yang, H.-Q. Wang, Q.-F. Zhou and K.-B. Yu), 263
Sulfur
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XVI. Darstellung von π-Cyclopentadienylkomplexen mit zwei und drei Chalkogensubstituenten am Ring, $[C_5Cl_{4-m}(ER)_m(ER')]ML_n$ ($ML_n = Mn(CO)_3$, $Fe(C_5H_5)$; $m = 1$ oder 2; E = S, Se; R, R' = Me, Ph). Struktur von $[C_5Cl_3(SMe)_2][C_5H_5]Fe$ (K. Sünkel, U. Birk, A. Blum and W. Kempinger), 167
Supported catalyst
Synthesis of a polymer-supported *o*-phenylene(diphosphine) and characterization of some metal complexes (N.R. Champness, W. Levason, R.D. Oldroyd and D.J. Gulliver), 275

Thiolate
Syntheses and electrochemical behaviour of novel dithiolatoniobium-(IV) and -(V) complexes with two η^5-cyclopentadienyl rings (F. Guyon, J. Amaudrut, M.-F. Mercier and K. Shimizu), 187
Tin
Chemie der schweren Carben-Analogen R_2M (M = Si, Ge, Sn). XIX. Reaktionen von stabilem Diaminogermylen und -stannylen $Me_2Si(^tBuN)_2M$ (M = Ge, Sn) mit organischen Aziden (B. Klein and W.P. Neumann), 119
Synthesis and properties of trifluoromethylated stannanes. The formation and NMR spectra of the difluoromethylstannanes $(CF_3)_n(CF_2H)_mSn(CH_3)_{4-n-m}$ (R. Eujen, N. Jahn and U. Thurmann), 153
Titanium
Electronic effects of bis(2-aryl-4,5,6,7-tetrahydroindenyl)titanocene dichlorides on the catalytic epoxidation of *trans*-3-hexene (R.L. Halterman and T.M. Ramsey), 175
Stabilisierung niederkoordinierter M(CO)-Bausteine: Synthese und Reaktivität von $\{(\eta^5\text{-}C_5H_4SiMe_3)_2Hf(C{\equiv}CPh)_2\}M(CO)$ (M = Ni, Co) (H. Lang, M. Herres and W. Imhof), 283
Transmetallation
On the regioselectivity of palladium catalyzed cross-coupling reactions of alkenylsilanes: participation of β-cationic organosilicate-palladium species during the transmetallation (Y. Hatanaka, K. Goda and T. Hiyama), 97
Tungsten
Molecular mechanical studies on the olefin metathesis reaction. I. Development and evaluation of tungsten carbene parameters: METMOD1 (L. Bencze and R. Szilagyi), 211
Reactions of the cationic but-2-yne complex $[WI(CO)(NCMe)\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)][BF_4]$ with bidentate nitrogen donor ligands (P.K. Baker and K.R. Flower), 221

Unsaturated electrophiles
Reactions of unsaturated electrophiles with *trans*-$(PMe_3)_2$-Pd(Ph)(NHPh) (J.M. Boncella and L.A. Villanueva), 297

Vanadium
A route to η^2-alkyne complexes of vanadium(I): crystal structure of *trans*-$[IV(CO)_2(PMe_2Ph)_2$(2-butyne)] (H. Gailus, H. Maelger and D. Rehder), 181

X-ray diffraction
Magnesium compounds: classification and analysis of crystallographic and structural data (C.E. Holloway and M. Melnik), 1
Synthesis and magnetic studies of the metallocarborane sandwich salts $[Fe(C_5Me_5)_2][M(C_2B_9H_{12})_2)]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos and A.V. Powell), 251